

Appl. No. 10/646,901

Amdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

RECEIVED
CENTRAL FAX CENTER
SEP 05 2006

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the above-identified application:

BEST AVAILABLE COPY

Claim 1 (currently amended): In a display including one or more edges that define a display area in which at least a portion of an image including an edge point is displayed, a method of changing the relative size of the displayed image, comprising the steps of:

selecting a zoom point in the displayed image, the zoom point corresponding to a point in the displayed image that is to be zoomed, the image edge point located at a position on the display area edge that coincides with an edge point on the display area; and

changing the relative size of the selected zoom point while (i) translating the selected zoom point along a straight zoom line that passes through the selected zoom point and extends between a central point in the display area and the display area edge edge point and (ii) maintaining the position of the image edge point such that the image edge point remains coincident with the display area edge point.

Claim 2 (original): The method of Claim 1, further comprising:

inhibiting any further change in relative size, and any further translation along the zoom line, when the relative size change attains a predetermined magnitude or the selected zoom point reaches the central point in the display area.

Claim 3 (previously presented): The method of Claim 1, wherein, when the selected zoom point coincides with the display area central point, the selected zoom point does not translate while its relative size is changing.

Claim 4 (original): The method of Claim 1, further comprising:

while changing the relative size of the selected zoom point, translating at least a portion of the displayed image out of the display area.

Appl. No. 10/646,901
Amdt. Dated September 5, 2006
Reply to Office Action of June 5, 2006

Claims 5-7 (canceled).

BEST AVAILABLE COPY

Claim 8 (previously presented): The method of Claim 1, further comprising:
changing the relative size of the entire displayed image simultaneously with the
changing of the relative size of the selected zoom point.

Claim 9 (previously presented): The method of Claim 1, further comprising:
displaying a zoom symbol in the display area that at least partially surrounds the
selected zoom point; and
translating the zoom symbol coincident with the translation of the selected zoom
point.

Claim 10 (original): The method of Claim 9, further comprising:
displaying a cursor symbol in the display area; and
removing the zoom symbol from the display area when the cursor symbol is moved.

Claim 11 (original): The method of Claim 1, wherein the selected zoom point is
translated along the zoom line from an original position to a final position, and wherein
the method further comprises:
storing data representative of at least the selected zoom point original position.

Claim 12 (previously presented): The method of Claim 11, further comprising:
translating the selected zoom point along a straight line from the final position to
the stored original position when changing the relative size of the selected zoom point in
a manner opposite to that which it was originally changed.

Claim 13 (original): The method of Claim 12, wherein the displayed image comprises a
plurality of image points, and wherein the method further comprises:
translating each image point from an original position to a final position when
changing the relative size of the selected zoom point.

Appl. No. 10/646,901

Amdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

Claim 14 (original): The method of Claim 13, further comprising:
storing data representative of each image point original position.

Claim 15 (previously presented): The method of Claim 14, further comprising:
translating each image point along a straight line from its final position to its
stored original position when changing the relative size of the selected zoom point in a
manner opposite to that which it was originally changed.

Claim 16 (previously presented): The method of Claim 1, wherein the displayed image
includes one or more sections that are not visible within the display area, and wherein the
method further comprises:

scrolling the displayed image in one or more directions, whereby the original and
final positions of the zoom point and each of the image points are each changed to
updated original and final positions;

storing each of the updated positions; and

translating the selected zoom point and each image point along a straight line from
its final position to its stored updated original position when changing the relative size of
the selected zoom point in a manner opposite to that which it was originally changed.

Claim 17 (previously presented): The method of Claim 1, further comprising:

selecting a new zoom point after changing the relative size of the previously
selected zoom point, the new zoom point having an original position and an original
zoom line associated therewith,

wherein the new zoom point original position is its position before the relative
size of the previously selected zoom point was changed, and

wherein the original zoom line is a straight line that passes through the new zoom
point original position and extends between the display area central point and a display
area edge point that is closest to the new zoom point.

Appl. No. 10/646,901

Amdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

BEST AVAILABLE COPY

Claim 18 (original): The method of Claim 17, further comprising:

changing the relative size of the new zoom point while moving the new zoom point to a position it would have occupied had the new zoom point been the previously selected zoom point, and its relative size had been changed and translated along the new zoom point original zoom line.

Claim 19 (original): The method of Claim 17, further comprising:

moving the new zoom point from its present position to a new position on the new zoom point original zoom line; and

changing the relative size of the new zoom point while translating the new zoom point along the new zoom point original zoom line.

Claim 20 (original): The method of Claim 17, further comprising:

moving the new zoom point from its present position to a new position on an average zoom line; and

changing the relative size of the new zoom point while translating the new zoom point along the average zoom line,

wherein the average zoom line corresponds to an average of the new zoom point original zoom line and a new zoom point zoom line, the new zoom point zoom line passing through the new zoom point at its position prior to being enlarged, and extending between the display area central point and the display area edge point that is closest to the new zoom point.

Claim 21 (currently amended): A display device, comprising:

a user interface operable to receive user input and supply one or more command signals;

a display screen having a display area edge that defines an image display area in which a displayed image may be rendered, the displayed image including an edge point located at a point on the display area edge; and

Appl. No. 10/646,901

Amtdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

BEST AVAILABLE COPY

a processor coupled receive the commands from the user interface and operable, in response thereto, to (i) select a zoom point in the displayed image that corresponds to a point in the displayed image that is to be zoomed (ii) change the relative size of the selected zoom point while translating the selected zoom point along a straight zoom line that passes through the selected zoom point and extends between a central point in the display area and the display area edge point and (iii) maintain the position of the image edge point while the relative size of the selected zoom point is changing such that the image edge point remains coincident with the display area edge point.

Claim 22 (original): The system of Claim 21, wherein the processor is further operable to:

inhibit any further change in relative size, and any further translation along the zoom line, when the relative size change attains a predetermined magnitude or the selected zoom point reaches the central point in the display area.

Claim 23 (previously presented): The system of Claim 21, wherein, when the selected zoom point coincides with the display area central point, the selected zoom point does not translate while its relative size is changing.

Claim 24 (original): The system of Claim 21, wherein the processor is further operable to translate at least a portion of the displayed image out of the display area while the relative size of the selected zoom point is changing.

Claims 25-27 (canceled).

Claim 28 (previously presented): The system of Claim 21, wherein the processor is further operable to change the relative size of the entire displayed image simultaneously with changing the relative size of the selected zoom point.

Appl. No. 10/646,901
Amdt. Dated September 5, 2006
Reply to Office Action of June 5, 2006

Claim 29 (previously presented): The system of Claim 21, wherein the processor is further operable to:

display a zoom symbol in the display area that at least partially surrounds the selected zoom point; and

translate the zoom symbol coincident with the translation of the selected zoom point.

Claim 30 (original): The system of Claim 29, wherein the processor is further operable to:

display a cursor symbol in the display area; and

remove the zoom symbol from the display area when the cursor symbol is moved.

Claim 31 (original): The system of Claim 21, wherein the processor is further operable to:

translate the selected zoom point along the zoom line from an original position to a final position, and

store data representative of at least the selected zoom point original position.

Claim 32 (previously presented): The system of Claim 31, wherein the processor is further operable to:

translate the selected zoom point along a straight line from the final position to the stored original position when changing the relative size of the selected zoom point in a manner opposite to that which it was originally changed.

Claim 33 (original): The system of Claim 32, wherein the displayed image comprises a plurality of image points, and wherein the processor is further operable to:

translate each image point from an original position to a final position when the relative size of the selected zoom point is changing.

Appl. No. 10/646,901

Amdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

Claim 34 (original): The system of Claim 33, wherein the processor is further operable to store data representative of each image point original position.

Claim 35 (previously presented): The system of Claim 34, wherein the processor is further operable to translate each image point along a straight line from its final position to its stored original position when changing the relative size of the selected zoom point in a manner opposite to that which it was originally changed.

Claim 36 (previously presented): The system of Claim 21, wherein:

the displayed image includes one or more sections that are not visible within the display area; and

the processor is further operable to:

scroll the displayed image in one or more directions, in response to one or more command signals from the user interface, whereby the original and final positions of the zoom point and each of the image points are each changed to updated original and final positions,

store each of the updated positions, and

translate the selected zoom point and each image point along a straight line from its final position to its stored updated original position when changing the relative size of the selected zoom point in a manner opposite to that which it was originally changed.

Claim 37 (previously presented): The system of Claim 21, wherein:

the processor, in response to the command signals, is further operable to select a new zoom point after the relative size of the previously selected zoom point changed, the new zoom point having an original position and an original zoom line associated therewith;

the new zoom point original position is its position before the relative size of the previously selected zoom point was changed; and

Appl. No. 10/646,901

Amdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

the original zoom line is a straight line that passes through the new zoom point original position and extends between the display area central point and a display area edge point that is closest to the new zoom point.

Claim 38 (original): The system of Claim 37, wherein the processor is further operable to change the relative size of the new zoom point while moving the new zoom point to a position it would have occupied had the new zoom point been the previously selected zoom point, and its relative size had been changed and translated along the new zoom point original zoom line.

Claim 39 (original): The system of Claim 37, wherein the processor is further operable to:

move the new zoom point from its present position to a new position on the new zoom point original zoom line; and

change the relative size of the new zoom point while translating the new zoom point along the new zoom point original zoom line.

Claim 40 (original): The system of Claim 37, wherein:

the processor is further operable to (i) move the new zoom point from its present position to a new position on an average zoom line and (ii) change the relative size of the new zoom point while translating the new zoom point along the average zoom line; and

the average zoom line corresponds to an average of the new zoom point original zoom line and a new zoom point zoom line, the new zoom point zoom line passing through the new zoom point at its position prior to being enlarged, and extending between the display area central point and the display area edge point that is closest to the new zoom point.

Appl. No. 10/646,901

Amdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

Claim 41 (previously presented): In a display including one or more display area edges that define a display area in which at least a portion of an image including a plurality of image points is displayed, a method of changing the relative size of the displayed image, the method comprising the steps of:

selecting a zoom point in the displayed image, the zoom point corresponding to a point in the displayed image that is to be zoomed; and

changing the relative size of the selected zoom point while (i) translating the selected zoom point along a straight zoom line that passes through the selected zoom point and extends between a central point in the display area and an edge point on the display area that is closest to the selected zoom point and (ii) maintaining an alignment of the image points with the display area edge that includes the display area edge point to which the zoom line extends.

Claim 42 (previously presented): The method of Claim 41, wherein the displayed image further includes a plurality of non-edge point image points, each non-edge-point image points having a position that coincides with one of the display area edges that does not include the display area edge point, and wherein the method further comprises:

while changing the relative size of the selected zoom point, translating the position of each of the non-edge-point image points out of the display area.

Claim 43 (currently amended): A display device, comprising:

a user interface operable to receive user input and supply one or more command signals;

a display screen having one or more edges that define an image display area in which a displayed image may be rendered; and

a processor coupled receive the commands from the user interface and operable, in response thereto, to (i) select a zoom point in the displayed image that corresponds to a point in the displayed image that is to be zoomed and (ii) change the relative size of the selected zoom point while translating the selected zoom point along a substantially straight zoom line that passes through the selected zoom point and extends between a

Appl. No. 10/646,901

Amdt. Dated September 5, 2006

Reply to Office Action of June 5, 2006

central point in the display area and an edge point on the display area that is closest to the selected zoom point,

wherein:

the displayed image includes a plurality of image points aligned with the display area edge that includes the display area edge point to which the zoom line extends; and

the processor is further operable to maintain the alignment of each of the image points with the display area edge that includes the display area edge point while the relative size of the selected zoom point is changing.

Claim 44 (previously presented): The system of Claim 43, wherein:

the displayed image further includes a plurality of non-edge point image points, each non-edge-point image points having a position that coincides with one of the display area edges that does not include the display area edge point; and

the processor is further operable to translate the position of each of the non-edge-point image points out of the display area while the relative size of the selected zoom point is changing.